

SECURE IT RIGHT

WITH ID DUNNAGE AIRBAGS



Minimize load shift by bracing your loads with **ID Dunnage Airbags!**

Dunnage Airbags are one of the most efficient ways to protect your goods from being damaged during transportation

ID Dunnage Airbags are
durable, reliable and **cost-effective**,
saving customers time and money
while delivering the highest levels of customer satisfaction



Innovators of Freight Securement Systems™

- **HIGH QUALITY FOR THE SAFEST LOAD SECUREMENT**
- **ECONOMICAL, COST EFFECTIVE AND AFFORDABLE**
- **REDUCED STORAGE COSTS**
- **VERSATILE AND CAN BE USED IN VARIOUS APPLICATIONS**
- **OPERATOR FRIENDLY AND EASY TO INSTALL**
- **LIGHTWEIGHT FOR EASY APPLICATION**
- **FAST INFLATION SAVES TIME AND MONEY**
- **STRONG AND DURABLE**
- **OPTIONS AVAILABLE THAT CAN FILL LARGER VOIDS**
- **VERIFIED BY THE ASSOCIATION OF AMERICAN RAILROADS**
- **MANUFACTURED USING ISO 9001 STANDARDS**
- **ECO-FRIENDLY AND 100% RECYCLABLE**

WHY

DUNNAGE AIRBAGS?



ID DUNNAGE AIRBAGS

International Dunnage (ID) offers AAR Verified, eco-friendly load securement solutions with ID Dunnage Airbags. ID Dunnage Airbags protects your cargo from the time it is loaded and shipped until it reaches its final destination and provides excellent load securement preventing load shift and damage during transportation.

ID Dunnage Airbags consist of an outside layer made from Polypropylene with an internal airtight liner manufactured from Polyethylene that is inflated using a Valve and Inflation Tool.

ID Dunnage Airbags take up less space when stored compared to traditional Dunnage and is lightweight yet extremely strong and can be used in wide variety of applications. Fast inflation allows for operator efficiency offering cost and time savings. The woven outer layer is moisture resistant unlike paper Airbags which are not. ID Dunnage Airbags Valve design makes it easy to deflate and remove the Airbag after use.

ID Dunnage Airbags are manufactured using ISO 9001 Standards and Levels 1 through 5 as well as Square Airbags are verified by the Association of American Railroads (AAR). Using state-of-the-art equipment, quality is our highest priority and is checked for throughout the manufacturing process. Part of this process includes the testing of woven tapes to check their tensile strength properties. Valves are inspected before use and airbags are leak tested to ensure they meet strict quality requirements. Burst testing ensures that all ID Dunnage Airbags meet performance standards as set out by the Association of American Railroads. A barcoded label ensures there is full traceability throughout the manufacturing process. International Dunnage is also registered with a GS1 and IPS barcoding system which allows for easy integration with ERP and MRP systems.

International Dunnage serves customers worldwide offering over 140 different levels and sizes of Dunnage Airbags to meet our customers requirements. Standard Dunnage Airbags can fill voids of up to 12"/30cm wide while Square Airbag and Twin Airbag options are available to fill larger void sizes.

We help guide our customers to choose the correct size and level of Dunnage Airbags to be used based on the type of product being shipped and the method of transportation being used. We also offer training in the correct use and installation of Dunnage Airbags which includes load audits. Technical support is available along with online consultation and a dedicated customer support team.



**International
Dunnage**

www.internationaldunnage.com

     /intdunnage

SECURE IT RIGHT & HOLD IT TIGHT with ID DUNNAGE AIRBAGS

With
Dunnage Airbags



Without
Dunnage Airbags



International
Dunnage

ID LEVEL 0 (BISON)

Bison Level 0 Dunnage Airbags are designed for light duty and mainly used on over-the-road truck shipments.

ID LEVEL 1

Level 1 Dunnage Airbags are AAR verified and are used for filling lateral voids, primarily in intermodal loads.

ID LEVEL 2

Level 2 Airbags are AAR verified and used for filling lengthwise voids in loads weighing up to 75,000 lbs. (34,000 kg) They can be used in a variety of applications from ocean container to certain rail applications.

ID LEVEL 3-4

Level 3-4 Airbags are AAR verified and used for filling lengthwise voids in loads weighing up to 216,000 lbs (97,974 kg) and also horizontal applications in approved roll paper loading methods weighing up to 190,000 lbs. (86,183 kg). They can be used in a variety of applications such as roll paper and OSB shipments.

ID LEVEL 5

Level 5 Airbags are AAR verified and used for filling lengthwise voids in loads weighing up to 216,000 lbs (97,976 kg) and horizontal applications in approved roll paper loading methods. Most popular applications include roll paper shipments and other heavy-duty applications.

SQUARE BAG

Level 1 Square Airbags are AAR verified and are designed to fill lateral voids greater than 12 inches (30.5 cm) wide where standard ID Airbags cannot be used.

TWIN BAG

Twin Airbags are designed to fill large voids between 15 – 39 inches (40-100 cm) wide. They are manufactured by joining 2 separate Dunnage Airbags and have 2 inflation valves which are inflated simultaneously.

BLADDER BAG

Polyethylene Bladder Airbags are a cost friendly way to secure lightweight cargo during transportation. Available in similar sizes to standard Dunnage Airbags, they are versatile and can be used in a variety of loads that are lightweight and have smooth surfaces.

CUSTOMIZED BAGS

We can also make customized Dunnage Airbags that are application specific if they are not available in a standard size so contact our dedicated sales team for more information.



United States of America Global HQ & Sales

International Dunnage LLC
3126 Center Street
Thunderbolt, GA 31404
Tel: +1 912 355 8884
info@internationaldunnage.net

Turkey European HQ & Sales

International Dunnage A.Ş.
Barbaros Mah. Cigdem Sok.
Agaoglu My Office No 1
D28-29 Atasehir 34746
Istanbul / Turkey
Tel: +90 216 593 46 00
info@internationaldunnage.com

Dominican Republic Manufacturing & Sales

Voidtech S.R.L.
Naves 12 y 13 Zona Franca
Industrial San Pedro de Macoris
Dominican Republic
Tel: +809 529 53 58
info@voidtechdr.com

Colombia Sales & Distribution

CARGOK INTERNATIONAL SAS
Centro Empresarial Sabana
Park-Cra
5 # 9 – 26 sur, Torre 2-Oficina 304
Tel: +57 318 6148051
info@cargokinternational.com



International Dunnage

Working Together for a Safer World!

www.internationaldunnage.com

[in](#) [ig](#) [yt](#) [tw](#) [f](#) /intdunnage

